

Product data sheet for household cooker hoods according to regulation (EU) No. 65/2014			
Brand		PYRAMIS	
Model		065029302	
Annual Energy Consumption ( $AEC_{hood}$ )		kWh/a	<b>94</b>
Energy Efficiency Class			<b>D</b>
Fluid Dynamic Efficiency ( $FDE_{hood}$ )			<b>6,5</b>
Fluid Dynamic Efficiency Class			<b>F</b>
Lighting Efficiency ( $LE_{hood}$ )		lux/W	<b>13</b>
Lighting Efficiency Class			<b>D</b>
Grease Filtering Efficiency (GFE)		%	<b>70</b>
Grease Filtering Efficiency Class			<b>D</b>
Air Flow at minumum speed in normal use		m <sup>3</sup> /h	<b>165</b>
Air Flow at maximum speed in normal use		m <sup>3</sup> /h	<b>300</b>
Air Flow in use intensive or boost setting		m <sup>3</sup> /h	-
Acustic Power emission in normal use at minimum speed		dB	<b>57</b>
Acustic Power emission in normal use at maximum speed		dB	<b>65</b>
Acustic Power emission in boost mode		dB	-
Power Consumption in off mode ( $P_o$ )		W	<b>0</b>
Power Consumption in standby mode ( $P_s$ )		W	-
Integration Directive EU 66/2014			
Time Increase Factor (f)			<b>1,8</b>
Energy Efficiency ( $EEl_{hood}$ )			<b>98,7</b>
Airflow at best efficiency point ( $Q_{BEP}$ )		m <sup>3</sup> /h	<b>193</b>
Pressure at best efficiency point ( $P_{BEP}$ )		Pa	<b>171</b>
Electric power input at the best efficiency point ( $W_{BEP}$ )		W	<b>140</b>
Electric power input for lighting system ( $W_l$ )		W	<b>5</b>
Avarage illuminance on the cooking surface ( $E_{middle}$ )		lux	<b>65</b>

Product data sheet for household cooker hoods according to regulation (EU) No. 65/2014			
Brand		PYRAMIS	
Model		065029302	
Annual Energy Consumption ( $AEC_{hood}$ )		kWh/a	<b>94</b>
Energy Efficiency Class			<b>D</b>
Fluid Dynamic Efficiency ( $FDE_{hood}$ )			<b>6,5</b>
Fluid Dynamic Efficiency Class			<b>F</b>
Lighting Efficiency ( $LE_{hood}$ )		lux/W	<b>13</b>
Lighting Efficiency Class			<b>D</b>
Grease Filtering Efficiency (GFE)		%	<b>70</b>
Grease Filtering Efficiency Class			<b>D</b>
Air Flow at minumum speed in normal use		m <sup>3</sup> /h	<b>165</b>
Air Flow at maximum speed in normal use		m <sup>3</sup> /h	<b>300</b>
Air Flow in use intensive or boost setting		m <sup>3</sup> /h	-
Acustic Power emission in normal use at minimum speed		dB	<b>57</b>
Acustic Power emission in normal use at maximum speed		dB	<b>65</b>
Acustic Power emission in boost mode		dB	-
Power Consumption in off mode ( $P_o$ )		W	<b>0</b>
Power Consumption in standby mode ( $P_s$ )		W	-
Integration Directive EU 66/2014			
Time Increase Factor (f)			<b>1,8</b>
Energy Efficiency ( $EEl_{hood}$ )			<b>98,7</b>
Airflow at best efficiency point ( $Q_{BEP}$ )		m <sup>3</sup> /h	<b>193</b>
Pressure at best efficiency point ( $P_{BEP}$ )		Pa	<b>171</b>
Electric power input at the best efficiency point ( $W_{BEP}$ )		W	<b>140</b>
Electric power input for lighting system ( $W_l$ )		W	<b>5</b>
Avarage illuminance on the cooking surface ( $E_{middle}$ )		lux	<b>65</b>